




BILLERUD

# Stocking Guide

COMMERCIAL & DIGITAL PRINTING





# Contents

## COATED SHEETS

### Premium Sheets:

<b>Sterling® Premium</b>	
– Gloss Text	4
– Gloss Cover	5
– Silk Text	6
– Silk Cover	7

### Economy Sheets:

<b>Anthem Plus®</b>	
– Gloss Text	8
– Gloss Cover	9
– Satin Text	10
– Satin Cover	11

### Caliper Cover/SBS Paperboard Sheets:

<b>Productolith® Pts.</b>	
– C1S	12
– C2S	13

### Coated One-Side Sheets:

<b>Sterling® Ultra C1S</b>	14
----------------------------	----

### Cartonboard:

<b>CrownBoard Prestige®</b>	
– C1S	15

## COATED DIGITAL & INKJET

### Premium Digital Sheets:

<b>Sterling® Premium Digital™</b>	
– Gloss Text	19
– Gloss Cover	20
– Silk Text	21
– Silk Cover	22

### Economy Digital Sheets:

<b>Blazer Digital®</b>	
– Gloss Text	23
– Gloss Cover	24
– Satin Text	25
– Satin Cover	26

### Caliper Cover/SBS Paperboard Digital Sheets:

<b>Productolith Pts. Digital®</b>	
– C1S	27
– C2S	28

### Commercial Inkjet Web:

<b>Sterling® Ultra EX</b>	
– Gloss Text	29
– Gloss Cover	30
– MatteText	31
– Matte Cover	32
<b>Sterling® Point EX</b>	
– Soft-gloss C2S	33

## COATED WEB

### No. 2 Freesheet Web:

<b>Sterling® Ultra</b>	
– Gloss Text	35
– Gloss Cover	36
– Dull Text	37
– Dull Cover	38
– Matte Text	39
– Matte Cover	40

### No. 3 Coated Web:

<b>Influence®</b>	
– Gloss Text	41
– Gloss Cover	44
– Soft-Gloss Text	45
– Matte Text	46
– Matte Cover	47
– Matte Reply Card	48

### No. 4 Groundwood Web:

<b>Liberty®</b>	
– Gloss Text	49
– Dull Text	50
– Matte Text	51



# Sheets

## PREMIUM SHEETS

## Sterling® Premium Gloss Text

material number	basis wt.	gsm	size	m.wt.	pack <sup>^</sup>	sheets	grain	color	cartons/ pallet	bright- ness	gloss	opacity
391973	80	118	25 x <u>38</u>	160	C	1000	L	White	16	94	72	94.5
391947			28 x <u>40</u>	188		800	L	White	12			
391812	80	118	23 x <u>29</u>	112	M	8500	L	White	n/a	94	72	94.5
391388			25 x <u>38</u>	160		8500	L	White	n/a			
391389			28 x <u>40</u>	188		8500	L	White	n/a			
391975	100	148	25 x <u>38</u>	200	C	800	L	White	16	94	72	96
391949			28 x <u>40</u>	236		700	L	White	12			
391816	100	148	23 x <u>29</u>	140	M	7000	L	White	n/a	94	72	96
391390			25 x <u>38</u>	200		7000	L	White	n/a			
391391			28 x <u>40</u>	236		7000	L	White	n/a			

Sheets are made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

Sterling Premium is acid free, designed for permanence. Sterling Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

<sup>^</sup> M = Mini Skid

## PREMIUM SHEETS

## Sterling® Premium Gloss Cover

material number	basis wt.	gsm	size	m.wt.	pack <sup>^</sup>	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
391429	80	216	25 x <u>38</u>	292	C	500	L	White	16	94	72	98
391430			28 x <u>40</u>	344		450	L	White	12			
391813	80	216	23 x <u>29</u>	205	M	5000	L	White	n/a	94	72	98
391742			25 x <u>38</u>	292		5000	L	White	n/a			
391744			28 x <u>40</u>	344		5000	L	White	n/a			
391745	100	271	25 x <u>38</u>	366	C	400	L	White	16	94	72	99
391746			28 x <u>40</u>	430		350	L	White	12			
391817	100	271	23 x <u>29</u>	257	M	3500	L	White	n/a	94	72	99
391747			25 x <u>38</u>	366		4000	L	White	n/a			
391749			28 x <u>40</u>	430		4000	L	White	n/a			

Sheets are made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

Sterling Premium is acid free, designed for permanence. Sterling Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

<sup>^</sup> M = Mini Skid

PREMIUM SHEETS

Sterling® Premium Silk Text

material number	basis wt.	gsm	size	m.wt.	pack <sup>^</sup>	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
391974	80	118	25 x <u>38</u>	160	C	1000	L	White	16	94	38	94.5
391948			28 x <u>40</u>	188		800	L	White	12			
391814	80	118	23 x <u>29</u>	112	M	8000	L	White	n/a	94	38	94.5
391683			25 x <u>38</u>	160		8500	L	White	n/a			
391684			28 x <u>40</u>	188		8500	L	White	n/a			
391976	100	148	25 x <u>38</u>	200	C	800	L	White	16	94	38	96
391950			28 x <u>40</u>	236		700	L	White	12			
391818	100	148	23 x <u>29</u>	140	M	6500	L	White	n/a	94	38	96
391686			25 x <u>38</u>	200		7000	L	White	n/a			
391687			28 x <u>40</u>	236		7000	L	White	n/a			

Sheets are made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

Sterling Premium is acid free, designed for permanence. Sterling Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

<sup>^</sup> M = Mini Skid

Sterling® Premium

Anthem Plus®

Productolith® Pts.

Sterling® Ultra C1s

CrownBoard  
Prestige®



## PREMIUM SHEETS

## Sterling® Premium Silk Cover

material number	basis wt.	gsm	size	m.wt.	pack <sup>^</sup>	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
391750	80 (7 pt.)*	216	25 x <u>38</u>	292	C	500	L	White	16	94	38	98
391752			28 x <u>40</u>	344		450	L	White	12			
391815	80 (7 pt.)*	216	23 x <u>29</u>	205	M	4500	L	White	n/a	94	38	98
391753			25 x <u>38</u>	292		4500	L	White	n/a			
391755			28 x <u>40</u>	344		4500	L	White	n/a			
391757	100 (9 pt.)**	271	25 x <u>38</u>	366	C	400	L	White	16	94	38	99
391759			28 x <u>40</u>	430		350	L	White	12			
391819	100 (9 pt.)**	271	23 x <u>29</u>	257	M	3500	L	White	n/a	94	38	99
391760			25 x <u>38</u>	366		4000	L	White	n/a			
391762			28 x <u>40</u>	430		4000	L	White	n/a			

Sheets are made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

Sterling Premium is acid free, designed for permanence. Sterling Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

<sup>^</sup> M = Mini Skid

ECONOMY SHEETS

Anthem Plus® Gloss Text

material number	basis wt.	gsm	size	m.wt.	pack <sup>^</sup>	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
308179	70	104	19 x <u>25</u>	70	M	19000	L	White	n/a	90	68	92
299518			23 x <u>35</u>	119		9500	L	White	n/a			
299520			24 x <u>36</u>	128		9500	L	White	n/a			
299522			25 x <u>38</u>	140		9500	L	White	n/a			
299524			28 x <u>40</u>	166		9500	L	White	n/a			
299333	80	118	28 x <u>40</u>	188	C	800	L	White	12	90	68	93.5
303914	80	118	19 x <u>25</u>	80	M	17000	L	White	n/a	90	68	93.5
299535			23 x <u>35</u>	136		8500	L	White	n/a			
299539			24 x <u>36</u>	146		8500	L	White	n/a			
299543			25 x <u>38</u>	160		8500	L	White	n/a			
299549			28 x <u>40</u>	188		8500	L	White	n/a			
299532	80	118	23 x <u>29</u>	112	S	14000	L	White	n/a	90	68	93.5
299275	100	148	28 x <u>40</u>	236	C	700	L	White	12	90	68	95.5
303915	100	148	19 x <u>25</u>	100	M	14000	L	White	n/a	90	68	95.5
299472			23 x <u>35</u>	169		7000	L	White	n/a			
299478			24 x <u>36</u>	182		7000	L	White	n/a			
299482			25 x <u>38</u>	200		7000	L	White	n/a			
299488			28 x <u>40</u>	236		7000	L	White	n/a			
299468	100	148	23 x <u>29</u>	140	S	11000	L	White	n/a	90	68	95.5

Anthem Plus is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Anthem Plus Recycled is available as a non-standard item. Subject to master roll availability and run schedules.

Anthem Plus is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

<sup>^</sup> M = Mini Skid

ECONOMY SHEETS

# Anthem Plus® Gloss Cover

material number	basis wt.	gsm	size	m.wt.	pack <sup>^</sup>	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
299320	80 (7 pt.)*	216	23 x <u>35</u>	248	C	600	L	White	16	90	68	98
299326			25 x <u>38</u>	292		500	L	White	16			
299332			28 x <u>40</u>	344		450	L	White	12			
303919	80 (7 pt.)*	216	19 x <u>25</u>	146	M	9000	L	White	n/a	90	68	98
348616			20 x <u>26</u>	160		9000	L	White	n/a			
299534			23 x <u>35</u>	248		4500	L	White	n/a			
299538			24 x <u>36</u>	266		4500	L	White	n/a			
299542			25 x <u>38</u>	292		4500	L	White	n/a			
299546			26 x <u>40</u>	320		4500	L	White	n/a			
299548			28 x <u>40</u>	344		4500	L	White	n/a			
299531	80 (7 pt.)*	216	23 x <u>29</u>	205	S	7000	L	White	n/a	90	68	98
298734	100 (9 pt.)**	271	19 x <u>25</u>	183	C	900	L	White	16	90	68	99
299140			20 x <u>26</u>	200		800	L	White	16			
299262			23 x <u>35</u>	310		500	L	White	16			
299268			25 x <u>38</u>	366		400	L	White	16			
299272			26 x <u>40</u>	400		400	L	White	16			
299274			28 x <u>40</u>	430		350	L	White	12			
303920	100 (9 pt.)**	271	19 x <u>25</u>	183	M	8000	L	White	n/a	90	68	99
303922			20 x <u>26</u>	200		8000	L	White	n/a			
299470			23 x <u>35</u>	310		4000	L	White	n/a			
299476			24 x <u>36</u>	332		4000	L	White	n/a			
299481			25 x <u>38</u>	366		4000	L	White	n/a			
299485			26 x <u>40</u>	400		4000	L	White	n/a			
299487			28 x <u>40</u>	430		4000	L	White	n/a			
299466	100 (9 pt.)**	271	23 x <u>29</u>	257	S	5500	L	White	n/a	90	68	99
299505	110	297	26 x <u>40</u>	440	M	3500	L	White	n/a	90	68	99
299506			28 x <u>40</u>	474		3500	L	White	n/a			

Anthem Plus is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Anthem Plus Recycled is available as a non-standard item. Subject to master roll availability and run schedules.

Anthem Plus is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

<sup>^</sup> M = Mini Skid

**Anthem Plus 120 lb. gloss cover available soon. Contact your Billerud Sales Representative for more details.**

ECONOMY SHEETS

Anthem Plus® Satin Text

Sterling® Premium

Anthem Plus®

Productolith® Pts.

Sterling® Ultra C1s

CrownBoard  
Prestige®

material number	basis wt.	gsm	size	m.wt.	pack <sup>^</sup>	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
299313	70	104	25 x <u>38</u>	140	C	1100	L	White	16	90	35	92
303916	70	104	19 x <u>25</u>	70	M	19000	L	White	n/a	90	35	92
299519			23 x <u>35</u>	119		9500	L	White	n/a			
299521			24 x <u>36</u>	128		9500	L	White	n/a			
299523			25 x <u>38</u>	140		9500	L	White	n/a			
299525			28 x <u>40</u>	166		9500	L	White	n/a			
299329	80	118	25 x <u>38</u>	160	C	1000	L	White	16	90	35	94.5
299335			28 x <u>40</u>	188		800	L	White	12			
303917	80	118	19 x <u>25</u>	80	M	17000	L	White	n/a	90	35	94.5
299537			23 x <u>35</u>	136		8500	L	White	n/a			
299541			24 x <u>36</u>	146		8500	L	White	n/a			
299545			25 x <u>38</u>	160		8500	L	White	n/a			
299551			28 x <u>40</u>	188		8500	L	White	n/a			
299533	80	118	23 x <u>29</u>	112	S	14000	L	White	n/a	90	35	94.5
299277	100	148	28 x <u>40</u>	236	C	700	L	White	12	90	35	96.5
303918	100	148	19 x <u>25</u>	100	M	14000	L	White	n/a	90	35	96.5
299474			23 x <u>35</u>	169		7000	L	White	n/a			
299480			24 x <u>36</u>	182		7000	L	White	n/a			
299484			25 x <u>38</u>	200		7000	L	White	n/a			
299490			28 x <u>40</u>	236		7000	L	White	n/a			
299491	100	148	23 x <u>29</u>	140	S	11000	L	White	n/a	90	35	96.5
298741	110 (7 pt.)*	163	19 x <u>25</u>	110	C	1400	L	White	16	90	30	96
299291			28 x <u>40</u>	260		550	L	White	12			
348521	110 (7 pt.)*	163	19 x <u>25</u>	110	M	11000	L	White	n/a	90	30	96
299501			25 x <u>38</u>	220		6000	L	White	n/a			
299583			28 x <u>40</u>	260		5000	L	White	n/a			

Anthem Plus is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Anthem Plus Recycled is available as a non-standard item. Subject to master roll availability and run schedules.

Anthem Plus is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

Noted \*7 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

<sup>^</sup> M = Mini Skid

## ECONOMY SHEETS

## Anthem Plus® Satin Cover

material number	basis wt.	gsm	size	m.wt.	pack <sup>a</sup>	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
299062	80 (9 pt.)**	216	19 x <u>25</u>	146	C	1100	L	White	16	90	35	99
299317			20 x <u>26</u>	160		1000	L	White	16			
299322			23 x <u>35</u>	248		600	L	White	16			
299328			25 x <u>38</u>	292		500	L	White	16			
299331			26 x <u>40</u>	320		500	L	White	16			
299334			28 x <u>40</u>	344		450	L	White	12			
303921	80 (9 pt.)**	216	19 x <u>25</u>	146	M	9000	L	White	n/a	90	35	99
348618			20 x <u>26</u>	160		9000	L	White	n/a			
299536			23 x <u>35</u>	248		4500	L	White	n/a			
299540			24 x <u>36</u>	266		4500	L	White	n/a			
299544			25 x <u>38</u>	292		4500	L	White	n/a			
299547			26 x <u>40</u>	320		4500	L	White	n/a			
299550			28 x <u>40</u>	344		4500	L	White	n/a			
312743	80 (9 pt.)**	216	23 x <u>29</u>	205	S	7000	L	White	n/a	90	35	99
298980	100	271	19 x <u>25</u>	183	C	900	L	White	16	90	35	99
299141			20 x <u>26</u>	200		800	L	White	16			
299264			23 x <u>35</u>	310		500	L	White	16			
299270			25 x <u>38</u>	366		400	L	White	16			
299273			26 x <u>40</u>	400		400	L	White	16			
299276			28 x <u>40</u>	430		350	L	White	12			
308268	100	271	19 x <u>25</u>	183	M	8000	L	White	n/a	90	35	99
348603			20 x <u>26</u>	200		8000	L	White	n/a			
299483			25 x <u>38</u>	366		4000	L	White	n/a			
299486			26 x <u>40</u>	400		4000	L	White	n/a			
299489			28 x <u>40</u>	430		4000	L	White	n/a			
357876	110	297	26 x <u>40</u>	440	M	3000	L	White	n/a	90	35	99
357878			28 x <u>40</u>	474		3000	L	White	n/a			

Anthem Plus is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Anthem Plus Recycled is available as a non-standard item. Subject to master roll availability and run schedules.

Anthem Plus is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

Noted \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

<sup>a</sup> M = Mini Skid

**Anthem Plus 120 lb. satin cover available soon. Contact your Billerud Sales Representative for more details.**

CALIPER COVER/SBS PAPERBOARD SHEETS

Productolith® Pts. C1S

Sterling® Premium

Anthem Plus®

Productolith® Pts.

Sterling® Ultra C1S

CrownBoard  
Prestige®

material number	caliper	board wts. (24x36)	gsm	size	m.wt.	pack sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
402885	8 pt.	108	176	20 x <u>26</u>	130	C	1100	L	White	16	91	40	97
403023				26 x <u>40</u>	260		550	L	White	16			
403031				28 x <u>40</u>	280		500	L	White	12			
403083	8 pt.	108	176	25 x <u>38</u>	238	S	10000	L	White	n/a	91	40	97
403099				28 x <u>40</u>	280		8000	L	White	n/a			
402886	10 pt.	134	218	20 x <u>26</u>	161	C	900	L	White	16	91	40	98
403280	10 pt.	134	218	19 x <u>25</u>	147	S	12000	L	White	n/a	91	40	98
403281				20 x <u>26</u>	161		16000	L	White	n/a			
403084				25 x <u>38</u>	295		8000	L	White	n/a			
403100				28 x <u>40</u>	347		7000	L	White	n/a			
402887	12 pt.	157	256	20 x <u>26</u>	189	C	750	L	White	16	91	40	99
403283	12 pt.	157	256	20 x <u>26</u>	189	S	12000	L	White	n/a	91	40	99
403101				28 x <u>40</u>	407		6000	L	White	n/a			

Productolith Pts. is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

All calipers manufactured with 10% recycled fiber upon request with upcharge.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

Productolith Pts. is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

Equivalent Basis Weights

	Board Bswt. (24x36)	Text Bswt. (25x38)	Cover Bswt. (20x26)	GSM
8 pt. C1S	108	119	65	176
10 pt. C1S	134	147	80	218
12 pt. C1S	157	173	95	256

CALIPER COVER/SBS PAPERBOARD SHEETS  
Productolith® Pts. C2S

material number	caliper	board wts. (24x36)	gsm	size	m.wt.	pack	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
403082	8 pt.	118	192	25 x <u>38</u>	259	S	9000	L	White	n/a	91	40	96
403028	10 pt.	145	237	26 x <u>40</u>	349	C	400	L	White	16	91	40	97.5
403073	10 pt.	145	237	23 x <u>35</u>	270	S	8000	L	White	n/a	91	40	97.5
403088				25 x <u>38</u>	319		7000	L	White	n/a			
403102				28 x <u>40</u>	376		5000	L	White	n/a			
403007	12 pt.	170	277	23 x <u>35</u>	317	C	450	L	White	16	91	40	98
403074	12 pt.	170	277	23 x <u>35</u>	317	S	8000	L	White	n/a	91	40	98
403089				25 x <u>38</u>	374		6000	L	White	n/a			
403098				26 x <u>40</u>	409		5000	L	White	n/a			
403103				28 x <u>40</u>	441		5000	L	White	n/a			

Productolith Pts. is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

All calipers manufactured with 10% recycled fiber upon request with upcharge.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

Productolith Pts. is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

Equivalent Basis Weights

	Board Bswt. (24x36)	Text Bswt. (25x38)	Cover Bswt. (20x26)	GSM
8 pt. C2S	118	130	71	192
10 pt. C2S	145	160	88	237
12 pt. C2S	170	187	102	277

COATED ONE-SIDE SHEETS

Sterling® Ultra C1S

material number	basis wt.	gsm	size	m.wt.	pack	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
87539	70	104	28 x <u>40</u>	166	C	900	L	White	12	89	72	89.5
87570	70	104	23 x <u>35</u>	119	S	21000	L	White	n/a	89	72	89.5
87572			28 x <u>40</u>	166		15000	L	White	n/a			
87542	80	118	23 x <u>35</u>	136	C	1100	L	White	16	89	72	92
87543			25 x <u>38</u>	160		1000	L	White	16			
87544			28 x <u>40</u>	188		800	L	White	12			
87575	80	118	23 x <u>35</u>	136	S	18000	L	White	n/a	89	72	92
87576			25 x <u>38</u>	160		15000	L	White	n/a			
87577			28 x <u>40</u>	188		13000	L	White	n/a			
374759	95	141	28 x <u>40</u>	224	C	700	L	White	12	89	72	94
374760	95	141	23 x <u>35</u>	161	S	15000	L	White	n/a	89	72	94
374761			25 x <u>38</u>	190		13000	L	White	n/a			
374843			28 x <u>40</u>	224		11000	L	White	n/a			

Manufactured with 10% recycled fiber upon request with upcharge.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

Sterling Ultra C1S is acid free, designed for permanence and manufactured using elemental chlorine-free (ECF) bleached pulp.

To review product stewardship and sustainability information please see the Billerud Product Regulatory Profile Sheet posted at [www.billerud.com/ProductRegulatoryProfile](http://www.billerud.com/ProductRegulatoryProfile).

Sterling® Premium

Anthem Plus®

Productolith® Pts.

Sterling® Ultra C1S

CrownBoard  
Prestige®



CARTONBOARD

CrownBoard Prestige®

material number	caliper	nominal basis wts.	gsm	size	m.wt.	pack	2 tier: sheets/ pallet	2 tier: reams/ skid	sheets/ carton	cartons/ pallet	grain	color	bright-ness
393577	8.1	104	170	23 x <u>35</u>	195	C	n/a	n/a	700	16	L	White	92
393601				25 x <u>38</u>	230		n/a	n/a	500	16	L	White	
393602				28 x <u>40</u>	271		n/a	n/a	500	12	L	White	
393339	8.1	104	170	23 x <u>35</u>	195	S	11000	22	n/a	n/a	L	White	92
393326				25 x <u>38</u>	230		11000	22	n/a	n/a	L	White	
393327				28 x <u>40</u>	271		11000	22	n/a	n/a	L	White	
393603	10.0	123	200	19 x <u>25</u>	135	C	n/a	n/a	1000	16	L	White	92
393604				20 x <u>26</u>	148		n/a	n/a	1000	16	L	White	
393605				23 x <u>35</u>	229		n/a	n/a	600	16	L	White	
393606				25 x <u>38</u>	270		n/a	n/a	500	16	L	White	
393607				26 x <u>40</u>	296		n/a	n/a	500	16	L	White	
393608				28 x <u>40</u>	319		n/a	n/a	400	12	L	White	
393328	10.0	123	200	19 x <u>25</u>	135	S	9000	18	n/a	n/a	L	White	92
393329				20 x <u>26</u>	148		9000	18	n/a	n/a	L	White	
393330				23 x <u>35</u>	229		9000	18	n/a	n/a	L	White	
393331				25 x <u>38</u>	270		9000	18	n/a	n/a	L	White	
393402				26 x <u>40</u>	296		9000	18	n/a	n/a	L	White	
393403				28 x <u>40</u>	319		9000	18	n/a	n/a	L	White	
393609	12.0	144	235	19 x <u>25</u>	159	C	n/a	n/a	800	16	L	White	92
393610				20 x <u>26</u>	174		n/a	n/a	800	16	L	White	
393611				23 x <u>35</u>	269		n/a	n/a	500	16	L	White	
393612				25 x <u>38</u>	318		n/a	n/a	400	16	L	White	
393613				26 x <u>40</u>	348		n/a	n/a	400	16	L	White	
393614				28 x <u>40</u>	374		n/a	n/a	300	12	L	White	
393404	12.0	144	235	19 x <u>25</u>	159	S	7000	14	n/a	n/a	L	White	92
393405				20 x <u>26</u>	174		7000	14	n/a	n/a	L	White	
393406				23 x <u>35</u>	269		7000	14	n/a	n/a	L	White	
393407				25 x <u>38</u>	318		7000	14	n/a	n/a	L	White	
393408				26 x <u>40</u>	348		7000	14	n/a	n/a	L	White	
393409				28 x <u>40</u>	374		7000	14	n/a	n/a	L	White	

Our mills in Sweden are certified in accordance with ISO 9001, ISO 14001, ISO 50001, FSSC 22000.

Chain-of-custody certifications available: FSC® C014984, PEFC/29-31-92.

The product is in compliance with FDA and BfR regarding food contact applications, for restriction and limitations ask your salesperson.

Recyclable in accordance with EN 13430:2004 and EN 13431:2004.

CARTONBOARD

CrownBoard Prestige® (cont.)

material number	caliper	nominal basis wts.	gsm	size	m.wt.	pack	2 tier: sheets/pallet	2 tier: reams/skid	sheets/ carton	cartons/ pallet	grain	color	bright-ness
393615	14.0	163	265	23 x <u>35</u>	303	C	n/a	n/a	400	16	L	White	92
393616				25 x <u>38</u>	358		n/a	n/a	400	16	L	White	
393617				26 x <u>40</u>	392		n/a	n/a	300	16	L	White	
393618				28 x <u>40</u>	422		n/a	n/a	300	12	L	White	
393410	14.0	163	265	20 x <u>29</u>	219	S	6500	13	n/a	n/a	L	White	92
393411				23 x <u>35</u>	303		6500	13	n/a	n/a	L	White	
393412				25 x <u>38</u>	358		6500	13	n/a	n/a	L	White	
393413				26 x <u>40</u>	392		6500	13	n/a	n/a	L	White	
393414				28 x <u>40</u>	422		6500	13	n/a	n/a	L	White	
393619	15.9	178	290	23 x <u>35</u>	332	C	n/a	n/a	400	16	L	White	92
393620				26 x <u>40</u>	429		n/a	n/a	300	16	L	White	
393621				28 x <u>40</u>	462		n/a	n/a	250	12	L	White	
393415	15.9	178	290	23 x <u>35</u>	332	S	6000	12	n/a	n/a	L	White	92
393416				26 x <u>40</u>	429		6000	12	n/a	n/a	L	White	
393417				28 x <u>40</u>	462		6000	12	n/a	n/a	L	White	
393622	17.9	194	315	19 x <u>25</u>	213	C	n/a	n/a	600	16	L	White	92
393623				23 x <u>35</u>	361		n/a	n/a	300	16	L	White	
393624				25 x <u>38</u>	426		n/a	n/a	200	16	L	White	
393625				26 x <u>40</u>	466		n/a	n/a	250	16	L	White	
393626				28 x <u>40</u>	502		n/a	n/a	200	12	L	White	
393419	17.9	194	315	23 x <u>35</u>	361	S	5000	10	n/a	n/a	L	White	92
393420				25 x <u>38</u>	426		5000	10	n/a	n/a	L	White	
393421				26 x <u>40</u>	466		5000	10	n/a	n/a	L	White	
393422				28 x <u>40</u>	502		5000	10	n/a	n/a	L	White	
393627	19.9	209	340	23 x <u>29</u>	323	C	n/a	n/a	300	16	L	White	92
393629				26 x <u>40</u>	503		n/a	n/a	250	16	L	White	
393424	19.9	209	340	23 x <u>35</u>	389	S	4500	9	n/a	n/a	L	White	92
393426				28 x <u>40</u>	542		4500	9	n/a	n/a	L	White	

Our mills in Sweden are certified in accordance with ISO 9001, ISO 14001, ISO 50001, FSSC 22000.

Chain-of-custody certifications available: FSC® C014984, PEFC/29-31-92.

The product is in compliance with FDA and BfR regarding food contact applications, for restriction and limitations ask your salesperson.

Recyclable in accordance with EN 13430:2004 and EN 13431:2004.

## CARTONBOARD

## CrownBoard Prestige® (cont.)

material number	caliper	nominal basis		size	m.wt.	pack	2 tier:	2 tier:	sheets/ carton	cartons/ pallet	grain	color	bright- ness
		sheets/ pallet	reams/ skid										
393631	23.8	246	400	23 x <u>29</u>	379	C	n/a	n/a	250	16	L	White	92
393632				23 x <u>35</u>	458		n/a	n/a	250	16	L	White	
393633				25 x <u>38</u>	540		n/a	n/a	200	16	L	White	
393634				26 x <u>40</u>	592		n/a	n/a	200	16	L	White	
393635				28 x <u>40</u>	637		n/a	n/a	150	12	L	White	
393427	23.8	246	400	23 x <u>29</u>	379	S	4000	8	n/a	n/a	L	White	92
393428				23 x <u>35</u>	458		4000	8	n/a	n/a	L	White	
393429				25 x <u>38</u>	540		4000	8	n/a	n/a	L	White	
393430				26 x <u>40</u>	592		4000	8	n/a	n/a	L	White	
393431				28 x <u>40</u>	637		4000	8	n/a	n/a	L	White	

Our mills in Sweden are certified in accordance with ISO 9001, ISO 14001, ISO 50001, FSSC 22000.

Chain-of-custody certifications available: FSC® C014984, PEFC/29-31-92.

The product is in compliance with FDA and BfR regarding food contact applications, for restriction and limitations ask your salesperson.

Recyclable in accordance with EN 13430:2004 and EN 13431:2004.

# Digital & Inkjet

PREMIUM DIGITAL SHEETS

# Sterling® Premium Digital™ Gloss Text

material number	basis wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	grain	bright-ness	gloss	opacity
391725	80	118	8.5 x <u>11</u>	16	n/a	n/a	500	6	3000	40	L	94	72	94.5
391726			11 x <u>17</u>	31	n/a	n/a	500	3	1500	40	L			
391727			12 x <u>18</u>	36	n/a	n/a	500	3	1500	40	L			
391728			13 x <u>19</u>	42	n/a	n/a	500	3	1500	30	L			
391729			17 x <u>11</u>	31	n/a	n/a	500	3	1500	40	S			
391730			18 x <u>12</u>	36	n/a	n/a	500	3	1500	40	S			
391706			29.5 x <u>20.75</u>	103	8000	1	n/a	n/a	n/a	n/a	S			
391731	100	148	8.5 x <u>11</u>	20	n/a	n/a	400	6	2400	40	L	94	72	96
391732			11 x <u>17</u>	39	n/a	n/a	500	3	1500	40	L			
391733			12 x <u>18</u>	45	n/a	n/a	500	2	1000	40	L			
391734			13 x <u>19</u>	52	n/a	n/a	500	2	1000	30	L			
391735			17 x <u>11</u>	39	n/a	n/a	500	3	1500	40	S			
391736			18 x <u>12</u>	45	n/a	n/a	500	2	1000	40	S			
391737			19 x <u>13</u>	52	n/a	n/a	500	2	1000	30	S			
391714			29.5 x <u>20.75</u>	129	7000	1	n/a	n/a	n/a	n/a	S			

Sterling Premium Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Sterling Premium Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Sterling Premium Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

PREMIUM DIGITAL SHEETS

Sterling® Premium Digital™ Gloss Cover

material number	basis wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	grain	bright- ness	gloss	opacity
391784	80	216	8.5 x <u>11</u>	29	n/a	n/a	250	6	1500	40	L	94	72	98
391785			17 x <u>11</u>	58	n/a	n/a	250	3	750	40	S			
391786			18 x <u>12</u>	66	n/a	n/a	250	3	750	40	S			
391787			19 x <u>13</u>	76	n/a	n/a	250	3	750	30	S			
391775			20.75 x <u>29.5</u>	188	4000	1	n/a	n/a	n/a	n/a	L			
391788	100	271	8.5 x <u>11</u>	36	n/a	n/a	200	6	1200	40	L	94	72	99
391789			17 x <u>11</u>	72	n/a	n/a	250	2	500	40	S			
391790			18 x <u>12</u>	83	n/a	n/a	250	2	500	40	S			
391791			19 x <u>13</u>	95	n/a	n/a	250	2	500	30	S			
391780			20.75 x <u>29.5</u>	235	3000	1	n/a	n/a	n/a	n/a	L			

Sterling Premium Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Sterling Premium Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Sterling Premium Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

PREMIUM DIGITAL SHEETS

# Sterling® Premium Digital™ Silk Text

material number	basis wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	brightness	gloss	opacity
391692	80	118	12 x <u>18</u>	36	n/a	n/a	500	3	1500	40	L	94	38	94.5
391690			13 x <u>19</u>	42	n/a	n/a	500	3	1500	30	L			
391691			18 x <u>12</u>	36	n/a	n/a	500	3	1500	40	S			
391695			29.5 x <u>20.75</u>	103	8000	1	n/a	n/a	n/a	n/a	S			
391722	100	148	12 x <u>18</u>	45	n/a	n/a	500	2	1000	40	L	94	38	96
391723			13 x <u>19</u>	52	n/a	n/a	500	2	1000	30	L			
391724			18 x <u>12</u>	45	n/a	n/a	500	2	1000	40	S			
391699			29.5 x <u>20.75</u>	129	7000	1	n/a	n/a	n/a	n/a	S			

Sterling Premium Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Sterling Premium Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Sterling Premium Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

PREMIUM DIGITAL SHEETS

Sterling® Premium Digital™ Silk Cover

material number	basis wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	brightness	gloss	opacity
391715	80 (7 pt.)*	216	18 x <u>12</u>	66	n/a	n/a	250	3	750	40	S	94	38	98
391781			19 x <u>13</u>	76	n/a	n/a	250	3	750	30	S			
391717			20.75 x <u>29.5</u>	188	4000	1	n/a	n/a	n/a	n/a	L			
391782	100 (9 pt.)**	271	18 x <u>12</u>	83	n/a	n/a	250	2	500	40	S	94	38	99
391783			19 x <u>13</u>	95	n/a	n/a	250	2	500	30	S			
391720			20.75 x <u>29.5</u>	235	3000	1	n/a	n/a	n/a	n/a	L			

Sterling Premium Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92 and manufactured with 10% recycled fiber.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Sterling Premium Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.



Sterling Premium Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.



ECONOMY DIGITAL SHEETS

# Blazer Digital® Gloss Text

material number	basis wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	brightness	gloss	opacity
279498	80	118	11 x <u>17</u>	31	n/a	n/a	500	3	1500	40	L	90	68	93.5
279499			12 x <u>18</u>	36	n/a	n/a	500	3	1500	40	L			
279500			13 x <u>19</u>	42	n/a	n/a	500	3	1500	30	L			
308065			29.5 x <u>20.75</u>	103	8000	1	n/a	n/a	n/a	n/a	S			
279652	100	148	11 x <u>17</u>	39	n/a	n/a	500	3	1500	40	L	90	68	95.5
279653			12 x <u>18</u>	45	n/a	n/a	500	2	1000	40	L			
279654			13 x <u>19</u>	52	n/a	n/a	500	2	1000	30	L			
308066			29.5 x <u>20.75</u>	129	7000	1	n/a	n/a	n/a	n/a	S			

Blazer Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Blazer Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Blazer Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

ECONOMY DIGITAL SHEETS

Blazer Digital® Gloss Cover

material number	basis wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	brightness	gloss	opacity
279656	80 (7 pt.)*	216	17 x <u>11</u>	58	n/a	n/a	250	3	750	40	S	90	68	98
279657			18 x <u>12</u>	66	n/a	n/a	250	3	750	40	S			
279658			19 x <u>13</u>	76	n/a	n/a	250	3	750	30	S			
308069			20.75 x <u>29.5</u>	188	4000	1	n/a	n/a	n/a	n/a	L			
279660	100 (9 pt.)**	271	17 x <u>11</u>	72	n/a	n/a	250	2	500	40	S	90	68	99
279661			18 x <u>12</u>	83	n/a	n/a	250	2	500	40	S			
279662			19 x <u>13</u>	95	n/a	n/a	250	2	500	30	S			
348649			19 x <u>13</u>	95	17500	6	n/a	n/a	n/a	n/a	S			
279663			20 x <u>14</u>	108	n/a	n/a	250	2	500	25	S			
308070			20.75 x <u>29.5</u>	235	3000	1	n/a	n/a	n/a	n/a	L			
306405			26 x <u>14.33</u>	143	n/a	n/a	n/a	n/a	400	32	S			
290282	110	297	18 x <u>12</u>	91	n/a	n/a	200	3	600	40	S	90	68	99
290283			19 x <u>13</u>	105	n/a	n/a	200	3	600	30	S			
311399			20.75 x <u>29.5</u>	259	3000	1	n/a	n/a	n/a	n/a	L			

Blazer Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Blazer Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.



Blazer Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

**Blazer Digital 120 lb. gloss cover available soon. Contact your Billerud Sales Representative for more details.**

ECONOMY DIGITAL SHEETS

# Blazer Digital® Satin Text

material number	basis wt. gsm		size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	bright-ness	gloss	opacity
279622	80	118	12 x 18	36	n/a	n/a	500	3	1500	40	L	90	30	93.5
279623			13 x 19	42	n/a	n/a	500	3	1500	30	L			
308067			29.5 x 20.75	103	6500	1	n/a	n/a	n/a	n/a	S			
279626	100	148	12 x 18	45	n/a	n/a	500	2	1000	40	L	90	30	95.5
279627			13 x 19	52	n/a	n/a	500	2	1000	30	L			
308068			29.5 x 20.75	129	5500	1	n/a	n/a	n/a	n/a	S			

Blazer Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Blazer Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Blazer Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

ECONOMY DIGITAL SHEETS

Blazer Digital® Satin Cover

material number	basis wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	bright-ness	gloss	opacity
279631	80 (9pt)**	216	18 x <u>12</u>	66	n/a	n/a	250	3	750	40	S	90	30	98
279642			19 x <u>13</u>	76	n/a	n/a	250	3	750	30	S			
308071			20.75 x <u>29.5</u>	188	3000	1	n/a	n/a	n/a	n/a	L			
279494	100	271	17 x <u>11</u>	72	n/a	n/a	250	2	500	40	S	90	30	99
279495			18 x <u>12</u>	83	n/a	n/a	250	2	500	40	S			
279496			19 x <u>13</u>	95	n/a	n/a	250	2	500	30	S			
308072			20.75 x <u>29.5</u>	235	2500	1	n/a	n/a	n/a	n/a	L			
290284	110	297	18 x <u>12</u>	91	n/a	n/a	200	3	600	40	S	90	30	99
290285			19 x <u>13</u>	105	n/a	n/a	200	3	600	30	S			
311400			20.75 x <u>29.5</u>	259	2500	1	n/a	n/a	n/a	n/a	L			
390010	120	326	20.75 x <u>29.5</u>	283	2500	1	n/a	n/a	n/a	n/a	L	90	30	99

Blazer Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Blazer Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.



Blazer Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

CALIPER COVER/SBS PAPERBOARD DIGITAL SHEETS

# Productolith Pts. Digital® C1S

material number	caliper <sup>a</sup>	board wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	grain	bright-ness	gloss	opacity
269515	10 pt.	134	218	18 x <u>12</u>	67	n/a	n/a	200	4	800	40	S	91	40	98
274147				19 x <u>13</u>	76	n/a	n/a	200	4	800	30	S			
311497				20.75 x <u>29.5</u>	190	3000	1	n/a	n/a	n/a	n/a	L			
269518	12 pt.	157	256	18 x <u>12</u>	79	n/a	n/a	200	3	600	40	S	91	40	99
274149				19 x <u>13</u>	90	n/a	n/a	200	3	600	30	S			
311499				20.75 x <u>29.5</u>	222	2500	1	n/a	n/a	n/a	n/a	L			

Productolith Pts. Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Productolith Pts. Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

<sup>a</sup> Caliper is guaranteed

Equivalent Basis Weights (using the board basis - 24 x 36 or 3,000 square feet)

10 pt. C1S = 134

12 pt. C1S = 157



Productolith Pts. Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

CALIPER COVER/SBS PAPERBOARD DIGITAL SHEETS

Productolith Pts. Digital® C2S

material number	caliper*	board wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	bright-ness	gloss	opacity
269526	12 pt.	170	277	18 x 12	85	n/a	n/a	200	3	600	40	S	91	40	98
274154				19 x 13	97	n/a	n/a	200	3	600	30	S			
311500				20.75 x 29.5	241	2500	1	n/a	n/a	n/a	n/a	L			

Productolith Pts. Digital is made with chain-of-custody fiber: FSC® C014984, SFI®, PEFC/29-31-92.

Non-standard sizes available upon request subject to order minimums. Please contact Billerud customer service for more details.

All materials available only in white.

Productolith Pts. Digital is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

^ Caliper is guaranteed

Equivalent Basis Weights (using the board basis - 24 x 36 or 3,000 square feet)

12 pt. C2S = 170



Productolith Pts. Digital is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

COMMERCIAL INKJET WEB

# Sterling® Ultra EX Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity	caliper
392289	80	118	18	50	White	90	72	95	3.7
392288			20	50	White				
392330	100	148	18	50	White	90	72	97	4.6
392331			20	50	White				

Stock Items  
Digital & Inkjet

Sterling® Premium  
Digital™

Blazer Digital®

Productolith Pts.  
Digital®

Sterling® Ultra EX

Sterling® Points EX

COMMERCIAL INKJET WEB

Sterling® Ultra EX Gloss Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity	caliper
392377	7 pt.* (133 lb. T/73 lb. C)	197	18	50	White	90	70	98	7.3
392378			20	50	White				
392381	9 pt.** (162 lb. T/89 lb. C)	240	18	50	White	90	70	98.5	9.3
392392			20	50	White				

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.



COMMERCIAL INKJET WEB

# Sterling® Ultra EX Matte Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity	caliper
392354	80	118	18	50	White	90	25	96.5	4.5
392353			20	50	White				
392339	100	148	18	50	White	90	25	98	5.7
392338			20	50	White				

Stock Items  
Digital & Inkjet

Sterling® Premium  
Digital™

Blazer Digital®

Productolith Pts.  
Digital®

Sterling® Ultra EX

Sterling® Points EX

COMMERCIAL INKJET WEB

Sterling® Ultra EX Matte Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity	caliper
392379	7 pt.* (116 lb. T/64 lb. C)	172	18	50	White	90	25	97	7.3
392380			20	50	White				
392393	9 pt.** (143 lb. T/79 lb. C)	212	18	50	White	90	25	98	9.3
392394			20	50	White				

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

COMMERCIAL INKJET WEB

## Sterling® Points EX Soft-Gloss C2S

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
393210	8 pt. (130 lb. T/71 lb. C)	192	18	50	White	91	40	96
393283			20	50	White			
393211	10 pt.(160 lb. T/88 lb. C)	237	18	50	White	91	40	97.5
393284			20	50	White			
393282	12 pt.(187 lb. T/102 lb. C)	277	18	50	White	91	40	98
393285			20	50	White			

Stock Items  
Digital & Inkjet

Sterling® Premium  
Digital™

Blazer Digital®

Productolith Pts.  
Digital®

Sterling® Ultra EX

Sterling® Points EX

# Web

NO. 2 FREESHEET WEB

Sterling® Ultra Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
150516	60	89	35	50	White	90	72	92
61506	70	104	18	50	White	90	72	93.5
57677			35	50	White			
57679			35.5	50	White			
57687			38	50	White			
61511	80	118	17.5	50	White	90	72	95
61512			18	50	White			
61514			26.5	50	White			
61515			35	50	White			
85381			35.5	50	White			
61516			38	50	White			
212546	100	148	18	50	White	90	72	97
212725			20	50	White			
61521			35	50	White			
150499			35.5	50	White			
61522			38	50	White			

Sterling® Ultra

Influence®

Liberty®

NO. 2 FREESHEET WEB

Sterling® Ultra Gloss Cover

Sterling® Ultra

Influence®

Liberty®

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
86918	7 pt.* HY (123 lb. T / 68 lb. C)	182	38	50	White	90	65	97
304468	7 pt.* (133 lb. T / 73 lb. C)	197	23	50	White	90	70	98
86833			35.5	50	White			
86834			38	50	White			
290893	8 pt. (142 lb. T / 78 lb. C)	210	17.5	50	White	90	70	98
301366			23	50	White			
86859			35.5	50	White			
86860			38	50	White			
340958	9 pt.** (162 lb. T / 89 lb. C)	240	18	50	White	90	70	98.5
348164			20	50	White			
86880			26.5	50	White			
86884			35	50	White			
86885			35.5	50	White			
86886			38	50	White			

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

NO. 2 FREESHEET WEB

# Sterling® Ultra Dull Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
150508	60	89	35	50	White	90	40	92
46766	70	104	35	50	White	90	40	95
61469			38	50	White			
56263	80	118	35	50	White	90	40	96
150535			35.5	50	White			
61680			38	50	White			
52892	100	148	18	40	White	90	40	98
61480			38	50	White			

Sterling® Ultra

Influence®

Liberty®

NO. 2 FREESHEET WEB

# Sterling® Ultra Dull Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
342046	7 pt.* (129 lb. T / 71 lb. C)	191	38	50	White	90	40	98

Noted \*7 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.



NO. 2 FREESHEET WEB

## Sterling® Ultra Matte Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
153084	60	89	35	50	White	90	25	93
61530	70	104	18	50	White	90	25	95
61533			35	50	White			
61534			38	50	White			
47175	80	118	18	40	White	90	25	96.5
61536			18	50	White			
61537			23	50	White			
85394			33	50	White			
61539			35	50	White			
61540			38	50	White			

Sterling® Ultra

Influence®

Liberty®

NO. 2 FREESHEET WEB

Sterling® Ultra Matte Cover

Sterling® Ultra

Influence®

Liberty®

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
310656	7 pt.* (116 lb. T / 64 lb. C)	172	18	50	White	90	25	97
86927			26.5	40	White			
86932			35	40	White			
310565	9 pt.** (143 lb. T / 79 lb. C)	212	18	50	White	90	25	98
86987			26.5	40	White			
87005			35.5	50	White			

Noted \*7 pt. and \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. and \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

NO. 3 COATED WEB

## Influence® Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
327225	45	67	35	50	White	86	70	88.5
327317	50	74	17.5	40	White	86	70	89.5
351673			18	50	White			
327338			26.5	50	White			
327363			33	50	White			
327372			34.5	50	White			
327375			35	50	White			
327388			38	50	White			
327483	60	89	17.5	50	White	88	70	91.5
327485			18	40	White			
327486			18	50	White			
327491			20	50	White			
327508			23	50	White			
327514			23.5	50	White			
327535			26.5	50	White			
327577			33	50	White			
327590			34.5	50	White			
327592			35	40	White			
327593			35	50	White			
327599			35.5	50	White			
327609			38	40	White			
327610			38	50	White			
327643			52.5	50	White			

Sterling® Ultra

Influence®

Liberty®

NO. 3 COATED WEB

Influence® Gloss Text (cont.)

Sterling® Ultra

Influence®

Liberty®

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
325465	70	104	17.5	40	White	88	70	93
325467			17.5	50	White			
325471			18	40	White			
325474			18	50	White			
325507			23	50	White			
325513			23.5	40	White			
325536			26.5	50	White			
325580			33	50	White			
325595			34.5	50	White			
325599			35	40	White			
325600			35	50	White			
325607			35.5	50	White			
325624			38	50	White			
326114	80	118	17.5	50	White	88	70	94.5
326120			18	40	White			
326123			18	50	White			
326184			23	50	White			
326191			23.5	50	White			
326217			26.5	50	White			
326275			33	50	White			
326293			34.5	50	White			
326298			35	40	White			
326299			35	50	White			
326309			35.5	50	White			
326329			38	50	White			

NO. 3 COATED WEB

Influence® Gloss Text (cont.)

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
324847	100	148	17.5	50	White	88	70	96.5
324856			18	50	White			
324900			23	50	White			
324934			26.5	50	White			
324975			33	50	White			
324996			34.5	50	White			
325002			35	50	White			
325012			35.5	50	White			
325029			38	50	White			

Sterling® Ultra

Influence®

Liberty®

NO. 3 COATED WEB

# Influence® Gloss Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
331331	80 (7 pt.)*	216	18	50	White	88	70	98
357779			20	50	White			
329478			35	50	White			
329480			35.5	40	White			

Noted \*7 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*7 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

Sterling® Ultra

Influence®

Liberty®

NO. 3 COATED WEB

# Influence® Soft-Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
327803	50	74	35	50	White	86	35	90.5
327864	60	89	35	50	White	88	35	92
325991	70	104	35	50	White	88	35	94
325995			35.5	50	White			
326679	80	118	18	50	White	88	35	95
326738			35	50	White			
326739			35.5	40	White			
325347	100	148	35.5	50	White	88	35	97

Sterling® Ultra

Influence®

Liberty®

NO. 3 COATED WEB

Influence® Matte Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
327746	50	74	35	50	White	86	25	91
326980	60	89	17.5	50	White	88	25	92
326983			18	40	White			
326984			18	50	White			
326991			23.5	50	White			
327001			26.5	50	White			
327018			33	50	White			
327025			34.5	50	White			
327029			35	50	White			
327032			35.5	50	White			
327042			38	50	White			
325754	70	104	17.5	50	White	88	25	94.5
325757			18	40	White			
325760			18	50	White			
325784			23	50	White			
325788			23.5	50	White			
325802			26.5	50	White			
325840			35	50	White			
325843			35.5	50	White			
325855			38	50	White			
326497	80	118	18	40	White	88	25	95.5
326499			18	50	White			
326537			26.5	50	White			
326559			33	50	White			
326573			35	50	White			
326577			35.5	50	White			
326593			38	50	White			
353655	100	148	20	50	White	88	25	97.5
338270			21.5	50	White			
325195			26.5	50	White			
325212			33	50	White			
325221			35	50	White			
325234			38	50	White			

Sterling® Ultra

Influence®

Liberty®



NO. 3 COATED WEB

# Influence® Matte Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
340428	80 (9 pt.)**	216	20	50	White	88	30	98
329682			35.5	50	White			
329695			38	50	White			

Noted \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

NO. 3 COATED WEB

# Influence® Matte Reply Card

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
340061	134 (9 pt.)**	198	18	50	White	88	20	98
329790			35	50	White			

Noted \*\*9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted \*\*9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

Sterling® Ultra

Influence®

Liberty®

NO. 4 GROUNDWOOD WEB

## Liberty® Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
331814	40	59	33	50	White	82	62	87
331854			35	50	White			
333787	45	67	33	50	White	82	64	89.5
333820			35	50	White			
334219	50	74	33	50	White	83	65	91
334253			35	50	White			
334635	60	89	33	50	White	84	68	92.5
334664			35	50	White			

Sterling® Ultra

Influence®

Liberty®

NO. 4 GROUNDWOOD WEB

# Liberty® Dull Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
355201	40	59	35	50	White	82	35	87
355279	50	74	35	50	White	82	35	90.5

Sterling® Ultra

Influence®

Liberty®

NO. 4 GROUNDWOOD WEB

# Liberty® Matte Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
333969	45	67	35	50	White	83	25	92.5

Sterling® Ultra

Influence®

Liberty®



**billerud.com**

Billerud Americas Corporation 8540 Gander Creek Drive Miamisburg, Ohio 45342 800 258 8852

